



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

ATOZ LABORATORIES, INC.
100 South Street
Hopkinton, MA 01748
Tyler Moulton Phone: 508-918-5742

CHEMICAL

Valid To: July 31, 2025

Certificate Number: 6363.01

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following tests on cannabis, hemp, tinctures, oils, edibles, concentrates or any other cannabis infused or derived products:

| <u>Test/Technology</u> | <u>Test Method</u> |
|--|--------------------|
| Cannabinoid Profile/Potency by HPLC: D8-THC, D9-THC, CBD, CBC, CBG, CBN, CBDV, THCA, THCV, CBDA and CBGA | TM-001 |
| Heavy Metal Analysis by ICP/MS: Arsenic, Cadmium, Lead, Mercury | TM-002 |
| Moisture Content/Water Activity by Water Activity Meter | TM-008 |
| Mycotoxins by LC/MS: Aflatoxin B1, B2, G1, G2, and Ochratoxin A | TM-005 |
| Pesticides by LC/MS: Bifenezate, Etoxazole, Imazalil, Imidacloprid, Myclobutanil, Spiromesifen, Trifloxystrobin, Bifenthrin and Cyfluthrin | TM-007 |
| Residual Solvents by GC/MS: Propane, Iso-Butane, Butane, Acetonitrile, Ethanol, Methanol, 2-Propanol, Acetone, Pentane, Hexane, Heptane | TM-003 |
| Terpenes by GC/MS: (-)- α -Bisabolol, Camphene, δ -3-Carene, β -Caryophyllene, Geraniol, (-)-Guaiol, α - Humulene, p-cymene, (-)-Isopulegol, d-Limonene, Linalool, β -Myrcene, Ocimene, α - Pinene, (-)- β -Pinene, α -Terpinene, γ -Terpinene, Terpinolene, (-)-Caryophyllene oxide, Nerolidol and 1,8-Cineole (Eucalyptol) | TM-006 |
| Vitamin E Acetate (Tocopheryl Acetate) by HPLC | TM-010 |

BIOLOGICAL

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following tests on cannabis, hemp, tinctures, oils, edibles, concentrates or any other cannabis infused or derived products:

| <u>Test/Technology</u> | <u>Test Method</u> |
|--|---------------------------|
| Bacteria, Yeast and Mold by Plating Total Coliform, Bile-tolerant Gram(-) Bacteria, Total Yeast and Mold, Total Aerobic Count | TM-011 |
| Bacteria, Yeast and Mold by qPCR: Total Coliform, Bile-tolerant Gram(-) Bacteria, Total Yeast and Mold, Total Aerobic Count, <i>Escherichia coli</i> , <i>Salmonella</i> | TM-009 |





Accredited Laboratory

A2LA has accredited

ATOZ LABORATORIES, INC.

Hopkinton, MA

for technical competence in the field of

Chemical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (*refer to joint ISO-ILAC-IAF Communiqué dated April 2017*).



Presented this 13th day of July 2023.

A blue ink signature of Trace McInturff, written over a horizontal line.

Mr. Trace McInturff, Vice President, Accreditation Services
For the Accreditation Council
Certificate Number 6363.01
Valid to July 31, 2025

For the tests to which this accreditation applies, please refer to the laboratory's Chemical Scope of Accreditation.